





## A highly stable picosecond supercontinuum fiber laser delivering over 1 Watt of average power across the 450-2300 nm\* spectral range and more than 30 mW in the visible range.

The FYLA SCT is a very versatile illumination source with a broadband spectrum that can be used for multiple applications including absorption/transmission measurements for material characterization, VIS, NIR and IR spectroscopy, single molecule spectroscopy and fluorescence excitation.

## **FYLA SCT Specifications**

Total Power >1000 mW

Fundamental

Pulsewidth

< 10 ps




Spectral Range	450-2300 nm
Repetition Rate	40 MHz
Full Spectrum Power Stability	<0,5 % (std. dev.)
Output Polarization	Unpolarized
Output Fiber / Length	Single Mode / 1.0 m (customizable)
Optical Output	Collimated (in the range 450-1000nm), Single-mode across full spectrum
Synchronization / Connections	Optical Reference Signal / FC/APC Conector
Beam Diameter	< 4.0 mm (1/e2 @ 532 nm, 0.5 m from output)
M2 Parameter	< 1.2
Cooling	Thermoelectric cooler + air cooling
Power Requirements	220 V / 110V - 50/60 Hz
Displayed Parameters (Controlled)	Optical Output Power Driving Electric Current TEC energy consumption TEC diode temperature

## **FYLA SCT Specifications**

Control Modes	Mode Manual/Remote ( USB Port )
Operating Temperatures	20 - 30 °C
Storage Temperature	0 - 60 °C
Dimensions (mm)	436x560x151 (WxDxH)
Power by spectral band	450-750nm >30mW / 750-1000 nm >50mW / 1000-1100nm >400mW / 1100-2300nm >800mW
Security	This product is a Class 4 laser.  Appropriate safety measures according to such laser class should be taken in its installation and use
SPECTRAL PROFILE AND OTHER DETAILED SPECS	UNDER REQUEST

Specifications are subject to change without notice\*



## **OPTICAL SPECTRUM**

Approximate.



Ronda Guglielmo Marconi 12. Parque Tecnológico 46980 Paterna - Valencia (Spain) Tel +34 96 389 10 92 / Fax +34 393 12 95 / fyla@fyla.com / www.fyla.com

We use (our own and third-party) cookies for personalization and advertising purposes to create profiles based on your web browsing history, for example, to show you personalized content. You can accept all cookies by clicking "Accept", or configure them in <u>settings</u>.

Accept

Reject

**Settings**